

PRICE LIST EFFECTIVE FROM 1st April, 2022

REMI GROUP

CODE	CAT. NO	DESCRIPTION	Price	HSN CODE	GST%
C	RQ-5 Plus	Mini Stirrer with Brushless DC Motor, LCD display of speed (5 litres capacity)	15,500.00	84798200	18%
C	RQ-20 Plus	Direct Drive Stirrer with brushless Motor,LCD Display of Speed & Torque (20 Ltr Capacity)	60,000.00	84798200	18%
C	RQ-40 Plus	Direct Drive Stirrer with brushless Motor,LCD Display of Speed & Torque (40 Ltr Capacity)	72,000.00	84798200	18%
C	RQ-100 Plus	Heavy Duty Direct drive Stirrer with brushless induction motor, frequency drive, chuck, digital speed indicator having facility of presetting of speed (100 litres Capacity)	37,000.00	84798200	18%
C	RQ-121/D	Mini stirrer with PMDC Motor having Stirring shaft & propeller in SS 316, Digital Speed indicator & speed regulator.	10,500.00	84798200	18%
c	RQG-121/D	Mini Geared stirrer with PMDC Motor having Stirring shaft & propeller in SS 316, Digital Speed indicator & speed regulator.	13,500.00	84798200	18%
C	RQM-122/R	Mount on All Purpose stirrer with 1/20 HP Motor, Chuck & rheostat speed regulator.	8,400.00	84798200	18%
C	RQ-122/D	All Purpose stirrer with 1/20 HP Motor, chuck & Transformer speed regulator.	10,200.00	84798200	18%
C	RQ-124A/D	Medium duty stirrer with 1/8 HP Motor, chuck, & transformer speed regulator.	12,500.00	84798200	18%
C	RQT-124A/D	Medium duty stirrer with 1/8 HP Motor, digital speed meter, chuck & transformer speed regulator.	17,000.00	84798200	18%
C	RQ-126/D	Medium duty stirrer with PMDC Motor having Stirring shaft & propeller in SS 316, Chuck, Digital speed indicator & speed regulator.	15,500.00	84798200	18%
C	RQG-126/D	Medium duty Geared stirrer with PMDC Motor suitable for viscous material, with hollow shaft and propeller in SS 316, Chuck, Digital speed indicator & speed regulator.	18,500.00	84798200	18%
C	RQ-127/D	Medium duty high speed Emulsifier with 1/8 Motor & transformer speed regulator.	14,600.00	84798200	18%
C	RQ-127A/D	High speed homogenizer with 1/8 HP Motor & transformer speed regulator.	14,500.00	84798200	18%
C	RQT-127/D	Medium duty high speed Emulsifier with 1/8 Motor, Digital Speed Indicator & transformer speed regulator	18,500.00	84798200	18%
C	RQT-127A/D	High Speed homogeniser with 1/8 Motor , Digital Speed Indicator & transformer speed regulator	18,000.00	84798200	18%
		SPARE HOMOGENISING CUP WITH ROD			
	5 / 10 ml	5 ml or 10 ml capacity	1,400.00	84798200	18%
	15 / 25 ml	15 ml or 25 ml capacity	1,500.00	84798200	18%
	50 / 100 ml	50 ml or 100 ml capacity	1,800.00	84798200	18%
C	RQ-128/D	Low speed geared stirrer with 1/20 HP Motor, chuck & transformer speed regulator.	18,000.00	84798200	18%
C	RQG-128A/D	Low speed AC geared stirrer with Brushless Motor, hollow shaft and propeller of SS 316, chuck & transformer speed regulator.	17,000.00	84798200	18%
C	RQG-128C/D	Heavy Duty Low Speed AC geared stirrer with Brushless Motor & hollow shaft and propeller of SS 316,chuck & transformer speed regulator	18,000.00	84798200	18%
C	RQ-128B/D	Low speed geared stirrer with 1/8 HP Motor, chuck & transformer speed regulator.	17,000.00	84798200	18%
C	RQ-128D/D	Low speed geared stirrer with 1/2 HP Motor, chuck & transformer speed regulator.	25,000.00	84798200	18%
C	RQ-129/D	Heavy Duty stirrer with PMDC Motor having Stirring Shaft & propeller in SS 316, chuck, Digital speed indicator & speed regulator.	17,000.00	84798200	18%
C	RQG-129/D	Heavy Duty Geared stirrer with PMDC Motor suitable for viscous material, with hollow shaft & propeller in SS 316, Chuck, Digital speed indicator & speed regulator.	21,000.00	84798200	18%
C	RQ-130/D	High speed emulsifier with 1/4 HP Motor & transformer speed regulator.	26,000.00	84798200	18%
C	RQT-130/D	High speed emulsifier with 1/4 HP Motor, Digital speed indicator & transformer speed regulator	30,000.00	84798200	18%
C	RQ-130B/D	High speed emulsifier with 2/3 HP Motor & transformer speed regulator.	31,000.00	84798200	18%
C	RQT-130 B/D	High speed emulsifier with 2/3 HP Motor, Digital speed indicator & transformer speed regulator	35,000.00	84798200	18%
C	RQ-134S/D	Heavy duty direct drive stirrer with 1/4 HP Motor, chuck & transformer speed regulator.	19,500.00	84798200	18%
C	RQ-134L/D	Heavy duty direct drive stirrer with 1/2 HP Motor, chuck & transformer speed regulator.	21,000.00	84798200	18%
C	RQ-134H/D	Heavy duty direct drive stirrer with 2/3 HP Motor, chuck & transformer speed regulator.	23,500.00	84798200	18%
C	RQT-134H/D	Heavy duty direct drive stirrer with 2/3 HP Motor, digital speed meter, chuck & transformer speed regulator.	31,000.00	84798200	18%
C	RQ-140/D	Continuous Heavy duty A/C stirrer with 1/4 HP Brushless, High Torque Variable Speed Motor with Hollow Shaft & propeller of SS 316, chuck, having facility of presetting & indication of speed.	54,000.00	84798200	18%
C	RQ-140/D FP	Continuous Heavy duty A/C stirrer with 1/4 HP Brushless, Flame Proof High Torque Variable Speed Motor with Hollow Shaft & propeller in SS 316, chuck having facility of presetting & indication of speed.	85,000.00	84798200	18%
C	RQ-140/DE	Continuous Heavy duty A/C emulsifier with 1/4HP Brushless, High Torque Variable speed Motor with Hollow Shaft & propeller of SS 316, chuck having facility of presetting & indication of speed.	62,000.00	84798200	18%
	122/D	Transformer suitable for RQ-122/D & RQ-128/D stirrers.	4,500.00	84798200	18%
	125S/D	Transformer suitable for RQ-124A/D, RQ-127/D, RQ-127A/D, RQ-125S/D, RQ-125L/D, RQ-128D/D, RQ-130/D, RQ-134S/D & RQ-134L/D stirrers.	6,000.00	84798200	18%
	125H/D	Transformer suitable for RQ-125H/D, RQ-130B/D & RQ-134H/D stirrers.	8,000.00	84798200	18%
		MAGNETIC STIRRERS			
C	5 MLH Plus	Magnetic Stirrer with Stainless Steel enamel Hot Plate (Max. temp. 340°C), LCD display of speed & temp with external PT-1000 probe & stand	33,000.00	84798200	18%
C	10 MLH Plus	Magnetic Stirrer with Ceramic Glass Hot Plate (Max. temp. 550°C), LCD display of speed & temp with external PT-1000 probe & stand	56,000.00	84798200	18%
C	15 MLH Plus	Magnetic Stirrer with Aluminium Alloy Plate (Max. temp. 450°C), LCD display of speed & temp with external PT-1000 probe & stand	Discontinue	84798200	18%
C	20 ML Plus	Magnetic Stirrer with Stainless Steel Top Plate, LCD display, speed upto 1500 rpm, capacity 20 litres	31,500.00	84798200	18%
C	MS-500	Micro magnetic stirrer 500ml capacity.	3,500.00	84798200	18%
C	1 ML	Magnetic Stirrer 1 litre capacity with Digital Speed Indicator.	6,800.00	84798200	18%
C	1 MLH	Magnetic stirrer 1 litre capacity with hot plate & Digital Speed Indicator.	8,400.00	84798200	18%
C	2 ML	Magnetic Stirrer 2 litres capacity with Digital Speed Indicator.	7,000.00	84798200	18%
C	2 MLH	Magnetic stirrer 2 litres capacity with hot plate & Digital Speed Indicator.	9,200.00	84798200	18%
C	5 ML	Magnetic Stirrer 5 litres capacity with Digital Speed Indicator.	9,000.00	84798200	18%
C	5 MLH	Magnetic stirrer 5 litres capacity with hot plate & Digital Speed Indicator.	11,600.00	84798200	18%
		ELECTRO MAGNETIC STIRRERS			
C	MS-800 PLUS	Motorless magnetic stirrer, Maximum speed 1500 rpm, capacity 800 ml	10,800.00	84798200	18%
		ROTAMANTLES			
C	1RML	Rotamantle with 1 litre capacity.	8,400.00	84798200	18%
C	2RML	Rotamantle with 2 litre capacity.	10,200.00	84798200	18%
C	3RML	Rotamantle with 3 litre capacity.	12,400.00	84798200	18%
		STIRRING PADDLES FOR MAGNETIC STIRRER AND ROTAMANTLES			
	Q-18	Teflon coated magnetised stirring paddle 7 mm dia x 12 mm long.	250.00	84798200	18%
	Q-18A	Teflon coated magnetised stirring paddle 7 mm dia x 15 mm long.	250.00	84798200	18%
	Q-19	Teflon coated magnetised stirring paddle 9 mm dia x 25 mm long.	350.00	84798200	18%
	Q-19A	Teflon coated magnetised stirring paddle 9 mm dia x 35 mm long.	350.00	84798200	18%
	Q-20	Teflon coated magnetised stirring paddle 13 mm dia x 35 mm long.	450.00	84798200	18%
	Q-20A	Teflon coated magnetised stirring paddle 13 mm dia x 50 mm long.	600.00	84798200	18%
		CYCLO MIXER			
C	VM-100	Multi Tube Vortexer, max speed 2500 rpm, microprocessor control with LCD display	62,000.00	84798200	18%
C	CM-101 Plus	Vortex Mixer with brushless motor & suitable for Interchangeable mixing Heads	10,000.00	84798200	18%
C	CM-101	CYCLO MIXER	6,200.00	84798200	18%

CODE	CAT. NO	DESCRIPTION	Price	HSN CODE	GST%
		HOT AIR OVEN / HOT AIR INCUBATOR			
B	RDHO-50	Dry Hot Air Oven (50 liters) with temperature setting from RT + 10°C up to +300°C	63,000.00	85141000	18%
B	RDHO-80	Dry Hot Air Oven (80 Liters) with temperature setting from RT + 10°C up to +300°C	73,000.00	85141000	18%
B	RHI-50	Hot air incubator with 50 Liters capacity & Temperature setting range from RT + 5°C up to +65°C	51,000.00	84198990	18%
B	RHI-80	Hot air incubator with 80 Liters capacity & Temperature setting range from RT + 5°C up to +65°C	67,000.00	84198990	18%
B	RVO-50	Vaccum Oven (50 Liters) temperature range from RT + 10°C to +200°C	1,34,000.00	85141000	18%
		SHAKERS			
C	RS-12 Plus	MINI ROTARY SHAKER with digital indicator and timer, max. speed 400 rpm, with universal platform of size 12" X 12"	28,500.00	84798200	18%
C	RS-18 Plus	MINI ROTARY SHAKER with digital indicator and timer, max. speed 400 rpm, with universal platform of size 18" X 18"	53,000.00	84798200	18%
		Clamps for holding Conical Flask. (Price is for each clamp)			
		Clamps 500 ml	700.00	84798200	18%
		Clamps 250ml / 150 ml	500.00	84798200	18%
		Clamps 100ml / 50 ml	400.00	84798200	18%
C	RS-12R	MINI ROTARY SHAKER with 0-15 minutes timer and speed regulator max. 180 rpm.	13,500.00	84798200	18%
B	RSB-12	WATERBATH SHAKER with tray for 12 flasks of 100 ml.	62,000.00	84798200	18%
		Additional Tray for the above.	6,500.00	84798200	18%
C	MPS-1	Microplate Shaker with setting of time, speed up to 1800 RPM, for microplate shaking	17,500.00	84798200	18%
C	SeroRoll	Roller Mixer with 6 rollers to make the uniform sample for better results	22,000.00	84798200	18%
C	RWB 6	Water bath 15 liter capacity with 6 concentric adaptors temperature setting from RT + 5°C up to +99°C	25,500.00	84798200	18%
		ROTARY SHAKERS			
B	RS-24 Plus	Rotary Shaker with Brushless induction motor, frequency drive, speed 20 to 300 rpm with 4" LCD display of speed alongwith universal platform of size 24" x 24" (without flask holding clamps)	1,22,000.00	84798200	18%
		Clamps 2000ml	700.00	84798200	18%
		Clamps 1000ml / 500 ml	700.00	84798200	18%
		Clamps 250ml / 150 ml	500.00	84798200	18%
		Clamps 100ml / 50 ml	400.00	84798200	18%
		BENCH TOP CENTRIFUGES			
C	Medico Plus	Medico centrifuge max. speed 4000 rpm with brushless induction motor, frequency drive, LED display of speed and time, safety lid lock, imbalance detector dynamic brake supplied without rotors and accessories	25,000.00	84211999	18%
	SM 8-15	Swing out rotor suitable for 8 tubes of 15ml (supplied with glass tubes)	4,500.00	84211999	18%
	SM 4-50	Swing out rotor suitable for 4 tubes of 50ml (supplied with glass tubes)	4,000.00	84211999	18%
	AM 36-5	Angle rotor suitable for 36 Vaccutainer® tubes of 5ml (12.5mm x 81mm) without tubes	4,500.00	84211999	18%
	AM 20-5	Angle rotor suitable for 20 Vaccutainer® tubes of 5ml (12.5mm x 106mm) without tubes	4,200.00	84211999	18%
	AM 18-10	Angle rotor suitable for 18 Vaccutainer® tubes of 10ml (15.5mm x 106mm) without tubes	4,200.00	84211999	18%
	AM 12-15	Angle rotor suitable for 12 tubes of 15ml (supplied with glass tubes)	4,200.00	84211999	18%
	AM 6-50	Angle rotor suitable for 6 tubes of 50ml (supplied with Plastic tubes)	5,200.00	84211999	18%
C	C-852	MEDICO CENTRIFUGE with 4 x 15 ml. swing out head & 15 ml tapered bottom glass tubes.	6,400.00	84211999	18%
C	C-854/4	CLINICAL CENTRIFUGE with 4 x 15 ml. swing out head & 15 ml tapered bottom glass tubes.	7,400.00	84211999	18%
C	C-854/6	CLINICAL CENTRIFUGE with 6 x 15 ml. swing out head & 15 ml tapered bottom glass tubes.	8,200.00	84211999	18%
C	C-854/8	CLINICAL CENTRIFUGE with 8 x 15 ml. swing out head & 15 ml tapered bottom glass tubes.	10,400.00	84211999	18%
C	R-303	DOCTOR CENTRIFUGE with 8 x 15 ml. angle head & 15 ml. Tapered bottom glass tubes.	8,400.00	84211999	18%
C	R-304	DOCTOR CENTRIFUGE with 24 x 5 ml. angle head & 5 ML. RIA polypropylene Tubes.	13,000.00	84211999	18%
		Optional :- 0-60 minutes built-in countdown timer for any of the above model	600.00	84211999	18%
C	R-4C	COMPACT LABORATORY CENTRIFUGE (max. speed 4400 rpm) with speed regulator, safety lid lock, digital speed meter & timer, but without rotor heads and accessories.	24,000.00	84211999	18%
	R-41	8 x 15 ml. swing out head with graduated glass tubes.	4,000.00	84211999	18%
	R-42	4 x 50 ml. swing out head with graduated glass tubes.	5,000.00	84211999	18%
	R-43	8 x 15 ml. angle head with polypropylene tubes.	4,000.00	84211999	18%
	R-44	4 x 50 ml. angle head with polypropylene tubes.	5,000.00	84211999	18%
C	R-8C Plus	Laboratory Centrifuge (max. speed 6000 rpm) with brushless induction motor, frequency drive, LED display of speed and time, imbalance detector, dynamic brake, safety lid lock and rotor identification, supplied without rotors and accessories	36,000.00	84211999	18%
C	R-8M Plus	Laboratory Centrifuge (max. speed 6000 rpm) with brushless induction motor, frequency drive, LCD display of speed and time, imbalance detector, dynamic brake, safety lid lock, acceleration / deceleration profiles and rotor identification, supplied without rotors and accessories	44,000.00	84211999	18%
	S 24-15	Swing out rotor suitable for 24 tubes of 15ml (supplied with glass tubes)	12,500.00	84211999	18%
	S 8-15	Swing out rotor suitable for 8 tubes of 15ml (supplied with glass tubes)	6,400.00	84211999	18%
	S 6-50	Swing out rotor suitable for 6 tubes of 50ml (supplied with glass tubes)	7,500.00	84211999	18%
	S 4-100	Swing out rotor suitable for Metal buckets B 100 and B 9-5	10,000.00	84211999	18%
	B 100	Set of 4 metal buckets, capacity 100ml (supplied with glass tubes)	12,000.00	84211999	18%
	B 9-5	Set of 4 metal buckets, each with a capacity of 9 Vaccutainer® tubes of 5ml (12.5mm x 106mm) without tubes	13,000.00	84211999	18%
	A 24-15	Angle rotor suitable for 24 tubes of 15ml (supplied with plastic tubes)	11,500.00	84211999	18%
	AR 6-50	Angle rotor suitable for 6 tubes of 50ml (supplied with plastic tubes)	5,600.00	84211999	18%
	A 4-100	Angle rotor suitable for 4 tubes of 100ml (supplied with plastic tubes)	6,000.00	84211999	18%
C	R-8C	REVOLUTIONARY GENERAL PURPOSE LABORATORY CENTRIFUGE (max. speed 5250 rpm) with speed regulator, safety lid lock, digital speed meter & timer, but without rotor heads and accessories.	29,000.00	84211999	18%
C	R-8C BL	REVOLUTIONARY MICROPROCESSOR LABORATORY CENTRIFUGE (max. speed 6000 rpm) with brushless induction motor & frequency drive, digital display of speed & time, brake, imbalance detector and lid lock but without rotor heads and accessories.	68,000.00	84211999	18%
	R-81	16 x 15 ML swing out head with graduated glass tubes.	7,400.00	84211999	18%
	R-81A	12 x 15 ml. swing out head with graduated glass tubes.	6,600.00	84211999	18%
	R-81B	8 x 15 ml. swing out head with graduated glass tubes.	4,000.00	84211999	18%
	R-82	6 x 50 ML swing out head with graduated glass tubes	6,800.00	84211999	18%
	R-82A	4 x 50 ML swing out head with graduated glass tubes	5,000.00	84211999	18%
	R-83	16 x 15 ML angle head with polypropylene tubes.	6,600.00	84211999	18%
	R-83A	12 x 15 ml angle head with polypropylene tubes.	5,200.00	84211999	18%
	R-83B	8 x 15 ml angle head with polypropylene tubes.	4,200.00	84211999	18%
	R-84	6 x 50 ml. angle head with polypropylene tubes.	4,200.00	84211999	18%
	R-84A	4 x 50 ml. angle head with polypropylene tubes.	4,200.00	84211999	18%
	R-88	4 x 100 ml. angle head with polypropylene tubes. (For R-8C BL)	9,500.00	84211999	18%
	R-89	24 x 15 ml. angle head with polypropylene tubes. (For R-8C BL)	10,000.00	84211999	18%
	R-90	4 x 100 ml. swing out head with glass tubes & biosafety cap. (For R-8C BL)	20,000.00	84211999	18%

CODE	CAT. NO	DESCRIPTION	Price	HSN CODE	GST%
C	R-8K	SPECIAL PURPOSE CENTRIFUGE without heads & accessories.	33,000.00	84211999	18%
	R-80	8 Place Swing Out Rotor complete with glass tubes suitable for determination of Dust Concentrate in Diesel Flue filters.	8,000.00	84211999	18%
	R-86	4 Place Swing Out Rotor complete with glass tubes suitable for determination of solubility index in infant Milk Foods	6,800.00	84211999	18%
	R-87	4 Place Swing Out Rotor complete with glass tubes suitable for determination of sulphate content in Chrome plating solution (Kocour Test)	10,000.00	84211999	18%
C	Micro - III	Gerber centrifuge with rotor to accommodate 12 butyrometers	92,000.00	84211999	18%
		REDUCTION ADAPTORS SUITABLE FOR R-4 AND R-8 SERIES CENTRIFUGES			
		Suitable for 15 ml metal buckets			
	RA-151	Capacity 1 x wintrob tube with glass tube	300.00	84211999	18%
	RA-152	Capacity 1 x 3 ml with glass tube	250.00	84211999	18%
	RA-153	Capacity 1 x 5 ml with glass tube	300.00	84211999	18%
	RA-154	Capacity 1 x 8 ml with glass tube	300.00	84211999	18%
	RA-155	Capacity 1 x 4 ml with glass tube	250.00	84211999	18%
	RA-156	Capacity 1 x 6 ml with glass tube	300.00	84211999	18%
		Suitable for 100 ml metal buckets			
	RA-157	Capacity 1 x 50 ml with glass tube	700.00	84211999	18%
	RA-158	Capacity 1 x 30 ml with glass tube	700.00	84211999	18%
	RA-160	Capacity 1 x 15 ml with glass tube	700.00	84211999	18%
	RA-161	Capacity 1 x 50 ml with glass tube (price each piece) for R-88	700.00	84211999	18%
	RA-166	Capacity 3 x 15 ml with plastic tubes(price each piece) for R-90	700.00	84211999	18%
		Suitable for 50 ml metal buckets			
	RA-501	Capacity 1 x 15 ml with glass tube	500.00	84211999	18%
	RA-502	Capacity 1 x 30 ml with glass tube	500.00	84211999	18%
		Suitable for Falcon tube (Supplied Without Falcon tube)			
	RA-501 F	Capacity 1 x 15 ml for Falcon tube (without tubes)	500.00	84211999	18%
	RA-160 F	Capacity 1 x 15 ml for Falcon tube (without tubes)	500.00	84211999	18%
	RA-161 F	Capacity 1 x 50 ml for Falcon tube (without tubes)	500.00	84211999	18%
		Suitable for Vacutainer Tubes Supplied Without Vacutainer Tubes)			
	RA-162	Capacity upto 5ml (75 mm long) Vacutainer Tubes (without tubes)	300.00	84211999	18%
	RA-163	Capacity upto 6ml (100 mm long) Vacutainer Tubes (without tubes)	300.00	84211999	18%
	RA-164	Capacity upto 10ml (100 mm long) Vacutainer Tubes without tube	300.00	84211999	18%
	RA-167	Capacity 4 tubes up to 6ml (100mm long) Vacutainer Tubes (without tubes)	700.00	84211999	18%
	RA-168	Capacity 3 tubes up to 10ml (100mm long) Vacutainer Tubes (without tubes)	700.00	84211999	18%
		REDUCTION ADAPTORS FOR R-8C Plus R-8M PLUS (Price for each piece)			
		Suitable for 15 ml metal buckets			
	RA-152	Capacity 1 x 3 ml with glass tube for S 8 - 15 / S24-15/ A 24 -15	250.00	84211999	18%
	RA-153	Capacity 1 x 5 ml with glass tube S 8 - 15 / S24-15/ A 24 -15	300.00	84211999	18%
	RA-154	Capacity 1 x 8 ml with glass tube S 8 - 15 / S24-15/ A 24 -15	300.00	84211999	18%
		Suitable for 100 ml metal buckets			
	RA-157	Capacity 1 x 50 ml with glass tube for S 4-100	700.00	84211999	18%
	RA-158	Capacity 1 x 30 ml with glass tube S 4-100	700.00	84211999	18%
	RA-160	Capacity 1 x 15 ml with glass tube A4-100	700.00	84211999	18%
	RA-161	Capacity 1 x 50 ml with glass tube (price each piece) A4-100	700.00	84211999	18%
	RA-166	Capacity 3 x 15 ml with plastic tubes(price each piece) for S 4-100 / A4-100	700.00	84211999	18%
		Suitable for 50 ml metal buckets			
	RA-501	Capacity 1 x 15 ml with glass tube for S 6 - 50/ A6-50	500.00	84211999	18%
	RA-502	Capacity 1 x 30 ml with glass tube for S 6 - 50 /A6-50	500.00	84211999	18%
		Suitable for Falcon tube			
	RA-501 F	Capacity 1 x 15 ml for Falcon tube (without tubes) for S 6 - 50/ A6-50	500.00	84211999	18%
	RA-160 F	Capacity 1 x 15 ml for Falcon tube (without tubes) for S 4-100 / A4-100	500.00	84211999	18%
	RA-161 F	Capacity 1 x 50 ml for Falcon tube (without tubes) for S 4-100 / A4-100	500.00	84211999	18%
		Suitable for Vacutainer Tubes			
	RA-162	Capacity upto 5ml (75 mm long) Vacutainer Tubes (without tubes)	300.00	84211999	18%
	RA-163	Capacity upto 6ml (100 mm long) Vacutainer Tubes (without tubes)	300.00	84211999	18%
	RA-164	Capacity upto 10ml (100 mm long) Vacutainer Tubes without tube	300.00	84211999	18%
	RA-167	Capacity 4 tubes up to 6ml (100mm long) Vacutainer Tubes (without tubes)	700.00	84211999	18%
	RA-168	Capacity 3 tubes up to 10ml (100mm long) Vacutainer Tubes (without tubes)	700.00	84211999	18%
		NEYA Bench Top Centrifuge (EU designed)			
B	NEYA 8	Bench Top Centrifuge, (max. speed 6000 rpm) LCD display of speed and time, imbalance detector, dynamic brake,safety lid lock, 3 acceleration / deceleration profiles and rotor identification, supplied without rotors and accessories	90,000.00	84211999	18%
B	NEYA 10	Bench Top Centrifuge, (max. speed 6000 rpm) LCD display of speed and time, imbalance detector, dynamic brake, safety lid lock, 10 acceleration / deceleration profiles, 10 programs and rotor identification, (supplied without rotors and accessories)	1,00,000.00	84211999	18%
A	NEYA 10R	Refrigerated Bench Top Centrifuge, (max. speed 6000 rpm) LCD display of speed & time, imbalance detector, dynamic brake,safety lid lock, 10 acceleration / deceleration profiles 10 programs & rotor identification, (supplied without rotors & accessories)	1,85,000.00	84211999	18%
B	NEYA 12	Bench Top Centrifuge, (max. speed 16000 rpm) LCD display of speed and time, imbalance detector, dynamic brake, safety lid lock, 10 acceleration / deceleration profiles,10 programs and rotor identification, (supplied without rotors and accessories)	1,08,000.00	84211999	18%
A	NEYA 16R	Refrigerated Bench Top Centrifuge, (max. speed 16000 rpm) LCD display of speed and time, imbalance detector, dynamic brake,safety lid lock, 10 acceleration / deceleration profiles, 10 programs and rotor identification, (supplied without rotors and accessories)	2,00,000.00	84211999	18%
	S 4-175	4 place Swing out Rotor	14,500.00	84211999	18%
	S 6-96 MP	2 place Swing out Rotor for 6 micro plates of 96 wells	31,000.00	84211999	18%

CODE	CAT. NO	DESCRIPTION	Price	HSN CODE	GST%
		Metal Buckets for Swing out Rotor Model S 4-175			
	B 175	Set of 4 metal buckets with Bio-safety Cap (L175) for 175ml plastic bottle	13,500.00	84211999	18%
	B 2-50 F	Set of 4 metal buckets for 50ml Falcon® Tubes	17,000.00	84211999	18%
	B 2-50 R	Set of 4 metal buckets for 50ml round bottom Glass Tubes	18,000.00	84211999	18%
	B 7-15 F	Set of 4 metal buckets for 15ml Falcon® Tubes	18,500.00	84211999	18%
	B 7-15 R	Set of 4 metal buckets for 15ml round bottom Glass Tubes	18,500.00	84211999	18%
	B 14-5/7	Set of 4 metal buckets for 5/7ml Vacutainer® (Long) Tubes	19,000.00	84211999	18%
	B 16-5/7	Set of 4 metal buckets for 5/7ml Vacutainer® (Short) Tubes	22,000.00	84211999	18%
	B 12-10	Set of 4 metal buckets for 10ml Vacutainer® Tubes	19,000.00	84211999	18%
		Inserts suitable for metal buckets Model B 175			
	I 12-2	Set of 4 Inserts for 2ml Micro tubes	5,200.00	84211999	18%
	I 7-5/7	Set of 4 Inserts for 5/7ml Vacutainer® tubes	4,800.00	84211999	18%
	I 7-10	Set of 4 Inserts for 10ml Vacutainer® tubes	4,800.00	84211999	18%
	I 4-15F	Set of 4 Inserts for 15ml Falcon® tubes	4,800.00	84211999	18%
	I 4-15R	Set of 4 Inserts for 15ml Glass tubes	4,800.00	84211999	18%
	I 1-50F	Set of 4 Inserts for 50ml Falcon® tubes	4,200.00	84211999	18%
	I 1-50R	Set of 4 Inserts for 50ml Glass tubes	4,400.00	84211999	18%
	I 1-100	Set of 4 Inserts for 100ml Round bottom Plastic tubes	3,400.00	84211999	18%
		Angle Rotors			
	A 24-2	24 x 2ml Angle Rotor for 2ml Micro Tubes with Reducers RE 2-05 (for 0.5ml) & RE 2-02 (for 0.2ml)	9,200.00	84211999	18%
	A 12-2	Angle rotor suitable for 12 micro tubes of 2ml with suitable inserts	9,800.00	84211999	18%
	A 36-05	36 x 0.5ml Angle rotor for 5ml micro tubes with suitable inserts	8,400.00	84211999	18%
	A 12-05	Angle rotor suitable for 12 micro tubes of 5ml with suitable inserts	12,500.00	84211999	18%
	A 32-15	32 x 15ml Angle Rotor for Round bottom Plastic tubes (with tubes & bottom cushion model C-15R)	20,000.00	84211999	18%
	A 8-50	8 x 50ml Angle Rotor for Round bottom Plastic tubes (with tubes & bottom cushion model C-50R)	12,500.00	84211999	18%
	A 6-50	6 x 50ml Angle rotor for 50ml tubes (supplied with plastic tubes)	13,500.00	84211999	18%
	A 6-100	6 x 100ml Angle rotor for 100ml tubes (supplied with plastic tubes)	14,000.00	84211999	18%
	PCR 4-8	Angle rotor suitable for PCR Strip Tubes - capacity 4 strips of 8 x 0.2 ml	13,000.00	84211999	18%
	HE 24-75	Hematocrit Rotor for 24 Cappillaries 75mm X 1mm	6,400.00	84211999	18%
	RD 24-75	Reading Device for HE 24-15	4,000.00	84211999	18%
		Inserts suitable for Angle Rotor Model A 32-15			
	C-15F	Set of 32 inserts for 15ml Falcon® Tubes	2,200.00	84211999	18%
	RE 15-5/7L	Set of 32 inserts for 5/7ml Vacutainer® (long) Tubes	8,400.00	84211999	18%
	RE 15-5/7S	Set of 32 inserts for 5/7ml Vacutainer® (short) Tubes	8,400.00	84211999	18%
		Inserts suitable for Angle Rotor Model A 8-50 / A 6-50			
	C-50F	Set of 8 inserts for 50 ml Falcon® Tubes	1,400.00	84211999	18%
	RE 50-10	Set of 8 inserts for 10ml Vacutainer® Tubes	2,500.00	84211999	18%
	RE 50-15F	Set of 8 inserts for 15ml Falcon® Tubes	3,400.00	84211999	18%
	RE 50-15R	Set of 8 inserts for 15ml Plastic Tubes	2,700.00	84211999	18%
		Inserts suitable for Angle Rotor Model A 6-100			
	RE 100-50F	Set of 6 inserts for 50ml Falcon® Tubes	3,500.00	84211999	18%
	RE 100-50R	Set of 6 inserts for 50ml Plastic Tubes	3,400.00	84211999	18%
	RE 100-15F	Set of 6 inserts for 15ml Falcon® Tubes	3,700.00	84211999	18%
	RE 100-15R	Set of 6 inserts for 15ml Plastic Tubes	3,700.00	84211999	18%
A	CM-12 Plus	Compact Bench Top Cooling Micro Centrifuges without rotor heads and accessories (Recommended voltage Stabilizer VS-02)	1,65,000.00	84211999	18%
	RM-1214 M	10 x 2 ml Angle Head (with Glass Tubes)	5,800.00	84211999	18%
	RM-1215 M	24 x 1.5 ml Angle Head (with Micro Tubes)	8,000.00	84211999	18%
	RM-1216 M	8 x 5 ml Angle Head (with Polycarbonate Tubes)	10,000.00	84211999	18%
	RM-1217 M	Angle Head suitable for PCR Strip Tubes - Capacity 4 strips of 8 x 0.2 ml	14,500.00	84211999	18%
A	CM-8 Plus	Compact bench top High Capacity Cooling Centrifuges without rotor heads and accessories (Recommended voltage Stabilizer VS-02)	1,55,000.00	84211999	18%
	R-81 M	16 x 15 ml swing out head with graduated glass tubes	8,400.00	84211999	18%
	R-81 BM	8 x 15 ml swing out head with graduated glass tubes	5,800.00	84211999	18%
	R-82 AM	4 x 50 ml swing out head with graduated glass tubes	6,200.00	84211999	18%
	R-83 BM	8 x 15 ml angle head with polypropylene tubes	5,500.00	84211999	18%
	R-84 M	6 x 50 ml angle head with polypropylene tubes	5,000.00	84211999	18%
	R-88 M	4 x 100 ml angle head with polypropylene tubes	11,000.00	84211999	18%
	R-89 M	24 x 15 ml angle head with polypropylene tubes	11,500.00	84211999	18%
	R-90 M	4 x 100 ml swing out head with glass tubes& Biosafety cap	20,000.00	84211999	18%
		REDUCTION ADAPTORS SUITABLE FOR Heads of CM8 Plus CENTRIFUGES			
		Suitable for 15 ml metal buckets			
	RA-151	Capacity 1 x wintrob tube with glass tube	300.00	84211999	18%
	RA-152	Capacity 1 x 3 ml with glass tube	250.00	84211999	18%
	RA-153	Capacity 1 x 5 ml with glass tube	300.00	84211999	18%
	RA-154	Capacity 1 x 8 ml with glass tube	300.00	84211999	18%
	RA-155	Capacity 1 x 4 ml with glass tube	250.00	84211999	18%
		Suitable for 100 ml metal buckets			
	RA-156	Capacity 1 x 6 ml with glass tube	300.00	84211999	18%
	RA-157	Capacity 1 x 50 ml with glass tube	700.00	84211999	18%
	RA-158	Capacity 1 x 30 ml with glass tube	700.00	84211999	18%
	RA-160	Capacity 1 x 15 ml with glass tube	700.00	84211999	18%
	RA-161	Capacity 1 x 50 ml with glass tube (price each piece)	700.00	84211999	18%
	RA-166	Capacity 3 x 15 ml with plastic tubes	700.00	84211999	18%
		Suitable for 50 ml metal buckets			
	RA-501	Capacity 1 x 15 ml with glass tube for S 6 - 50/ A6-50	500.00	84211999	18%
	RA-502	Capacity 1 x 30 ml with glass tube for S 6 - 50/ A6-50	500.00	84211999	18%
		Suitable for Falcon tube			
		Suitable for 50 ml metal buckets			
	RA-501 F	Capacity 1 x 15 ml for Falcon tube (without tubes)	500.00	84211999	18%
	RA-160 F	Capacity 1 x 15 ml for Falcon tube (without tubes)	500.00	84211999	18%
	RA-161 F	Capacity 1 x 50 ml for Falcon tube (without tubes)	500.00	84211999	18%

CODE	CAT. NO	DESCRIPTION	Price	HSN CODE	GST%
		Suitable for Vacutainer Tubes			
		Suitable for 15 ml metal buckets			
	RA-162	Capacity upto 5ml (75 mm long) Vacutainer Tubes (without tubes)	300.00	84211999	18%
	RA-163	Capacity upto 6ml (100 mm long) Vacutainer Tubes (without tubes)	300.00	84211999	18%
		Suitable for 50 ml metal buckets			
	RA-164	Capacity upto 10ml (100 mm long) Vacutainer Tubes without tube	300.00	84211999	18%
		Suitable for 100 ml metal buckets			
	RA-167	Capacity 4 tubes up to 6ml (100mm long) Vacutainer Tubes (without tubes)	700.00	84211999	18%
	RA-168	Capacity 3 tubes up to 10ml (100mm long) Vacutainer Tubes (without tubes)	700.00	84211999	18%
C	RM-02 PLUS	MINI CENTRIFUGE max. speed 6000 rpm, supplied with 8 X 1.5 ml & PCR Strip Rotor (2 x 8 x 0.2 ml)	10,000.00	84211999	18%
C	RM-03 PLUS	MICRO CENTRIFUGE max speed 15000 rpm, LCD Display supplied with 12x1.5 ml / 2.0 ml & PCR Strip Rotor (2 x 8 x 0.2 ml)	53,000.00	84211999	18%
C	R-12C Plus	MICRO CENTRIFUGE max. speed 16000 RPM, with brushless induction motor, frequency drive, LED display of speed and time, imbalance detector, dynamic brake, safety lid lock and rotor identification, (supplied without rotors and accessories)	41,000.00	84211999	18%
	AR 24-75 HE	Micro Hematocrite rotor to accommodate 24 capillaries of 75mm x 1mm	5,200.00	84211999	18%
	AR 12-75 HE	Micro Hematocrite rotor to accommodate 12 capillaries of QBC-II plus system	4,500.00	84211999	18%
	AR 8-5	Angle rotor suitable for 8 micro tubes of 5ml with suitable inserts	8,200.00	84211999	18%
	AR 12-2	Angle rotor suitable for 12 micro tubes of 2ml with suitable inserts	7,000.00	84211999	18%
	AR 24-2	Angle rotor suitable for 24 micro tubes of 2ml with suitable inserts	9,000.00	84211999	18%
	P 4-8	Angle rotor suitable for PCR Strip Tubes - capacity 4 strips of 8 x 0.2 ml	13,500.00	84211999	18%
	RD 24-75	Reading Device for AR 24-75 HE	4,000.00	84211999	18%
	RM-1212	Heparinised capillary tubes 75 mm long x 1 mm bore (Pack of 100 Nos.)	200.00	84211999	18%
C	RM-12C	REVOLUTIONARY MICRO CENTRIFUGE with speed regulator, safety lid lock, digital speed meter & timer, but without heads & accessories.	25,500.00	84211999	18%
	RM-1210	Micro Hematocrite rotor to accommodate 24 capillaries of 75 mm x 1 mm	4,200.00	84211999	18%
	RM-1211	Micro Hematocrite rotor to accommodate 12 capillaries (QBC - II Plus)	4,200.00	84211999	18%
	RM-1212	Heparinised capillary tubes 75 mm long x 1 mm bore (Pack of 100 Nos.)	200.00	84211999	18%
	RM-1213	Reading Device for RM-1210	4,600.00	84211999	18%
	RM-1214	10 x 2 ml Angle Head (with Glass Tube) with Reduction Adaptors of 1 ml & 0.5 ml	4,200.00	84211999	18%
	RM-1215	24 x 1.5 ml Angle Head (With Tapered Bottom Polypropylene Tubes) with Reduction Adaptor of 1 ml & 0.4 ml	6,200.00	84211999	18%
	RM-1216	8 x 5 ml Angle Head (With Round Bottom Polypropylene Tubes) with Reduction Adaptor of 4 ml & 2 ml	9,000.00	84211999	18%
	RM-1217	Angle Head suitable for PCR strip tubes - Capacity 4 strips of 8 x 0.2ml	14,500.00	84211999	18%
		HEAVY DUTY REFRIGERATED CENTRIFUGE			
A	KPR-70 Plus	HEAVY DUTY MICRO PROCESSOR BASED REFRIGERATED CENTRIFUGE (Max Speed 4500 rpm) without rotor heads & accessories (Recommended Voltage Stabilizer VS-06)	9,00,000.00	84211999	18%
	K-731	6 Place Wind Shield Swing Out head with set of 6 metal carriers each with a capacity 1000 ml	1,00,000.00	84211999	18%
	K-732	4 Place Wind Shield Swing Out head with set of 4 metal carriers each with a capacity 1000 ml	85,000.00	84211999	18%
	K-905	Angle rotor 6 x 500 ml with polypropylene bottles	72,000.00	84211999	18%
	K-906	Angle rotor 8 x 250 ml with polypropylene tubes	54,000.00	84211999	18%
	K-907	Angle rotor 12 x 100 ml with polypropylene tubes	52,000.00	84211999	18%
	K-908	Angle rotor 16 x 50 ml with polypropylene tubes	54,000.00	84211999	18%
	K-909	Angle rotor 36 x 25 ml with polypropylene tubes	54,000.00	84211999	18%
	K-910	Angle rotor 72 x 15 ml with polypropylene tubes	56,000.00	84211999	18%
		RESEARCH CENTRIFUGE			
B	R-23	REVOLUTIONARY RESEARCH CENTRIFUGE, Max 6900 RPM / 7350 RCF without rotor heads and accessories	65,000.00	84211999	18%
B	PR-23	MICROPROCESSOR RESEARCH COMPUFUGE, Max 7000 RPM / 7560 RCF without rotor heads and accessories	1,30,000.00	84211999	18%
B	R-24	REVOLUTIONARY HIGH SPEED CENTRIFUGE, MAX 17300 RPM / 27440 RCF without rotor heads and accessories.	68,000.00	84211999	18%
B	PR-24	MICROPROCESSOR RESEARCH HIGH SPEED COMPUFUGE, MAX 20000 RPM / 37570 RCF without rotor heads and accessories	1,35,000.00	84211999	18%
		REFRIGERATED CENTRIFUGE			
A	C-23 Plus	HIGH VOLUME LOW SPEED TABLE TOP COOLING CENTRIFUGE Max 7000 RPM / 7560 RCF, LED display without rotor heads & accessories (Recommended Voltage Stabilizer VS-03)	2,52,000.00	84211999	18%
A	CPR-23 Plus	HIGH VOLUME LOW SPEED TABLE TOP COOLING CENTRIFUGE Max 7000 RPM / 7400 RCF, LCD display without rotor heads & accessories (Recommended Voltage Stabilizer VS-03)	3,50,000.00	84211999	18%
A	C-24 Plus	LOW VOLUME HIGH SPEED TABLE TOP COOLING CENTRIFUGE MAX 20000 RPM / 37570 RCF, LED display without rotor heads & accessories (Recommended Voltage Stabilizer VS-03)	2,48,000.00	84211999	18%
A	CPR-24 Plus	LOW VOLUME HIGH SPEED TABLE TOP COOLING CENTRIFUGE, MAX 20000 RPM / 37570 RCF, LCD display without rotor heads & accessories (Recommended Voltage Stabilizer VS-03)	3,50,000.00	84211999	18%
A	CPR-24i Plus	LOW VOLUME HIGH SPEED TABLE TOP COOLING CENTRIFUGE, MAX 20000 RPM / 37570 RCF, LCD display without rotor heads & accessories (Recommended Voltage Stabilizer VS-03)	3,65,000.00	84211999	18%
A	C-30 Plus	HIGH VOLUME HIGH SPEED FLOOR MODEL COOLING CENTRIFUGE MAX 20000 RPM / 37570 RCF, LED display, without rotor heads & accessories (Recommended Voltage Stabilizer VS-03)	3,05,000.00	84211999	18%
A	CPR-30 Plus	HIGH VOLUME HIGH SPEED FLOOR MODEL COOLING CENTRIFUGE MAX 20000 RPM / 37570 RCF, LCD display without rotor heads & accessories (Recommended Voltage Stabilizer VS-03)	3,75,000.00	84211999	18%
		Rotor Heads & Accessories for Plus models of centrifuges			
	R-230 M + R-231 M	4 Place Swing out Head with set of 4 metal carriers with capacity of 200 ML (Capacity 4 x 200 ML) with biosafety cap	29,000.00	84211999	18%
	R-234 M	4 Place Wind Shield Swing out Heads complete with metal carriers (Capacity 4 x 250 ML)	31,000.00	84211999	18%
	R-235 M	2 Place Wind Shield Swing out Heads complete with metal carriers (Capacity 8 x MICROTITER TRAYS)	28,000.00	84211999	18%
	R-230 BM + R-233BM	4 Place Swing out Head with Set of 4 metal carriers with capacity of 27 x RIA Tubes [108 x 5 ML RIA (P. P. Tubes)]	26,000.00	84211999	18%
	R-246 AM	4 Place Wind Shield Swing out Heads complete with metal carriers (Capacity 4 x 20 ML)	23,000.00	84211999	18%
		Swing Out Head Suitable for Falcon Tubes (Without Tubes)			
	R-240 M	4 Place Swing out Head with Metal carriers & Biosafety Cap (16X50 ml)	34,000.00	84211999	18%
	R-240 AM	4 Place Swing out Head with Metal carriers & Biosafety Cap (32X15 ml)	34,000.00	84211999	18%
		REDUCTION ADAPTORS (WITH GLASS TUBES) SUITABLE FOR HEAD R-230 & R-231 AND R-230M+R-231M			
	RA-2311	Each With Capacity of 1 x 100 ML (Capacity 4 x 100 ML)	3,800.00	84211999	18%
	RA-2312	Each With Capacity of 1 x 50 ML (Capacity 4 x 50 ML)	2,500.00	84211999	18%
	RA-2313	Each With Capacity of 3 x 30 ML (Capacity 12 x 30 ML)	2,700.00	84211999	18%
	RA-2314	Each With Capacity of 7 x 15 ML (Capacity 28 x 15 ML)	3,800.00	84211999	18%
	RA-2315	Each with capacity of 6 vacutainer tubes up to 4ml (100 mm long) (without tubes) (24 x up to 4 ml)	3,200.00	84211999	18%
	RA-2316	Each with capacity of 5 vacutainer tubes up to 10ml (100 mm long) (without tubes) (20 x up to 10 ml)	3,200.00	84211999	18%
	RA-2317	Each with capacity of 6 vacutainer tubes up to 5 ml (75 mm long) (without tubes) (24 x upto 5 ml)	3,200.00	84211999	18%

CODE	CAT. NO	DESCRIPTION	Price	HSN CODE	GST%
		REDUCTION ADAPTORS FOR SWING OUT HEAD (WITH GLASS TUBES) SUITABLE FOR HEAD R-234M			
	RA-2341	Each With Capacity of 1 x 50 ML (Capacity 4 x 50 ML)	3,000.00	84211999	18%
	RA-2342	Each With Capacity of 3 x 25 ML (Capacity 12 x 25 ML)	4,800.00	84211999	18%
	RA-2343	Each With Capacity of 5 x 15 ML (Capacity 20 x 15 ML)	5,200.00	84211999	18%
	RA-2344	Each With Capacity of 13 x 5 ML (Capacity 52 x 5 ML)	6,000.00	84211999	18%
		ANGLE HEADS (WITH POLYPROPYLENE TUBES)			
	R-236M	Complete with Polypropylene Tubes (Capacity 6 x 200 ML)	41,000.00	84211999	18%
	R-237M	Complete with Polypropylene Tubes (Capacity 8 x 100 ML)	30,000.00	84211999	18%
	R-238M	Complete with Polypropylene Tubes (Capacity 12 x 50 ML)	28,000.00	84211999	18%
	R-239M	Complete with Polypropylene Tubes (Capacity 36 x 15 ML)	32,000.00	84211999	18%
	R-241M	Complete with Polypropylene Tubes (Capacity 4 x 100 ML)	28,000.00	84211999	18%
	R-243M	Complete with Polypropylene Tubes (Capacity 8 x 25 ML)	24,000.00	84211999	18%
	R-244M	Complete with Polypropylene Tubes (Capacity 12 x 15 ML)	24,000.00	84211999	18%
	R-247M	Complete with Polypropylene Tubes (Capacity 8 x 50 ML)	28,000.00	84211999	18%
	R-248M	Complete with Polypropylene Tubes (Capacity 24 x 1.5 ML)	18,000.00	84211999	18%
	R-249M	Angle Head suitable for PCR strip tubes - Capacity 6 strips of 8 x 0.2ml	23,000.00	84211999	18%
	R-250M	Complete with Polypropylene Tubes (Capacity 48 x 1.5 ML)	23,000.00	84211999	18%
		ANGLE HEAD SUITABLE FOR FAL CONTUBES (Without Tubes)			
	R-238 MF	12 x 50 ml Angle Head suitable for Falcon Tubes	29,000.00	84211999	18%
	R-239 MF	24 x 15 ml Angle Head suitable for Falcon Tubes	32,000.00	84211999	18%
	R-244 MF	12 x 15 ml Angle Head suitable for Falcon Tubes	23,000.00	84211999	18%
	R-247 MF	08 x 50 ml Angle Head suitable for Falcon Tubes	27,000.00	84211999	18%
		SWING OUT HEADS (WITH GLASS TUBES)			
	R-230	4 Place Swing out Head			18%
	R-231	Set of 4 metal carriers for R-230 each with capacity of 200 ML (Capacity 4 x 200 ML) with biosafety cap	26,000.00	84211999	18%
	R-234	4 Place Wind Shield Swing out Heads complete with metal carriers (Capacity 4 x 250 ML)	29,000.00	84211999	18%
	R-235	2 Place Wind Shield Swing out Heads complete with metal carriers (Capacity 8 x MICROTITER TRAYS)	26,000.00	84211999	18%
	R-230 A	2 Place Wind Shield Swing out Heads complete with metal carriers (Capacity 2 x MICROTITER TRAYS)	20,000.00	84211999	18%
	R-230 B	4 Place Swing out Head			18%
	R-233 B	Set of 4 metal carriers for R-230 B each with capacity of 27 x RIA Tubes [108 x 5 ML RIA (P. P. Tubes)]	26,000.00	84211999	18%
	R-246 A	4 Place Wind Shield Swing out Heads complete with metal carriers (Capacity 4 x 20 ML)	22,000.00	84211999	18%
		Set of 4 Reduction Adaptors for swing out head model R-230+R-231			
	RA-2311	Each With Capacity of 1 x 100 ML (Capacity 4 x 100 ML)	3,800.00	84211999	18%
	RA-2312	Each With Capacity of 1 x 50 ML (Capacity 4 x 50 ML)	2,500.00	84211999	18%
	RA-2313	Each With Capacity of 3 x 30 ML (Capacity 12 x 30 ML)	2,700.00	84211999	18%
	RA-2314	Each With Capacity of 7 x 15 ML (Capacity 28 x 15 ML)	3,800.00	84211999	18%
	RA-2315	Each with capacity of 6 vacutainer tubes up to 4ml (100 mm long) (without tubes) (24 x up to 4 ml)	3,200.00	84211999	18%
	RA-2316	Each with capacity of 5 vacutainer tubes up to 10ml (100 mm long) (without tubes) (20 x up to 10 ml)	3,200.00	84211999	18%
	RA-2317	Each with capacity of 6 vacutainer tubes up to 5 ml (75 mm long) (without tubes) (24 x upto 5 ml)	3,200.00	84211999	18%
		Set of 4 Reduction Adaptors for swing out head model R-234			
	RA-2341	Each With Capacity of 1 x 50 ML (Capacity 4 x 50 ML)	3,000.00	84211999	18%
	RA-2342	Each With Capacity of 3 x 25 ML (Capacity 12 x 25 ML)	4,800.00	84211999	18%
	RA-2343	Each With Capacity of 5 x 15 ML (Capacity 20 x 15 ML)	5,200.00	84211999	18%
	RA-2344	Each With Capacity of 13 x 5 ML (Capacity 52 x 5 ML)	6,000.00	84211999	18%
		ANGLE HEADS (WITH POLYPROPYLENE TUBES)			
	R-236	Complete with Polypropylene Tubes (Capacity 6 x 200 ML)	40,000.00	84211999	18%
	R-237	Complete with Polypropylene Tubes (Capacity 8 x 100 ML)	28,000.00	84211999	18%
	R-238	Complete with Polypropylene Tubes (Capacity 12 x 50 ML)	27,000.00	84211999	18%
	R-239	Complete with Polypropylene Tubes (Capacity 36 x 15 ML)	31,000.00	84211999	18%
	R-241	Complete with Polypropylene Tubes (Capacity 4 x 100 ML)	27,000.00	84211999	18%
	R-242	Complete with Polypropylene Tubes (Capacity 6 x 50 ML)	22,000.00	84211999	18%
	R-243	Complete with Polypropylene Tubes (Capacity 8 x 25 ML)	22,000.00	84211999	18%
	R-243 A	Complete with Polypropylene Tubes (Capacity 6 x 25 ML)	22,000.00	84211999	18%
	R-244	Complete with Polypropylene Tubes (Capacity 12 x 15 ML)	22,000.00	84211999	18%
	R-244 A	Complete with Polypropylene Tubes (Capacity 8 x 15 ML)	22,000.00	84211999	18%
	R-247	Complete with Polypropylene Tubes (Capacity 8 x 50 ML)	27,000.00	84211999	18%
	R-248	Complete with Polypropylene Tubes (Capacity 24 x 1.5 ML)	16,000.00	84211999	18%
	R-249	Angle Head suitable for PCR strip tubes - Capacity 6 strips of 8 x 0.2ml	20,000.00	84211999	18%
		Angle Head suitable for Falcon Tubes (Without Tubes)			
	R-238 F	12 x 50 ml Angle Head suitable for Falcon Tubes	27,000.00	84211999	18%
	R-239 F	24 x 15 ml Angle Head suitable for Falcon Tubes	31,000.00	84211999	18%
	R-244 F	12 x 15 ml Angle Head suitable for Falcon Tubes	20,000.00	84211999	18%
	R-247 F	08 x 50 ml Angle Head suitable for Falcon Tubes	24,000.00	84211999	18%
		CO₂ INCUBATORS			
A	RCO-80 Plus	CO ₂ Incubator, 80 Liters capacity with Infrared Sensor, SS Chamber, PID Temperature control System with LCD Display	2,76,000.00	84198990	18%
A	RCO-150 Plus	CO ₂ Incubator, 80 Liters capacity with Infrared Sensor, SS Chamber, PID Temperature control System with LCD Display	3,70,000.00	84198990	18%
		COOLING INCUBATORS			
A	CI-6 Plus LED	Capacity 200 liters, Temperature range 5°C to 60°C with LED Display (Recommended Voltage Stabilizer VS-02)	1,70,000.00	84198990	18%
A	CI-10 Plus LED	Capacity 280 liters, Temperature range 5°C to 60°C with LED Display (Recommended Voltage Stabilizer VS-02)	1,77,000.00	84198990	18%
A	CI-12 Plus LED	Capacity 370 liters, Temperature range 5°C to 60°C with LED Display (Recommended Voltage Stabilizer VS-03)	1,86,000.00	84198990	18%
A	CI-16 Plus LED	Capacity 450 liters, Temperature range 5°C to 60°C with LED Display (Recommended Voltage Stabilizer VS-03)	2,12,000.00	84198990	18%
A	CI-19 Plus LED	Capacity 540 liters, Temperature range 5°C to 60°C with LED Display (Recommended Voltage Stabilizer VS-03)	2,25,000.00	84198990	18%
A	CI-28 Plus LED	Capacity 800 liters, Temperature range 5°C to 60°C with LED Display (Recommended Voltage Stabilizer VS-06)	3,45,000.00	84198990	18%
A	CI-35 Plus LED	Capacity 1000 liters, Temperature range 5°C to 60°C with LED Display (Recommended Voltage Stabilizer VS-06)	3,85,000.00	84198990	18%
A	CI-6 Plus LCD	Capacity 200 liters, Temperature range 5°C to 60°C with LCD Display (Recommended Voltage Stabilizer VS-02)	1,95,000.00	84198990	18%
A	CI-10 Plus LCD	Capacity 280 liters, Temperature range 5°C to 60°C with LCD Display (Recommended Voltage Stabilizer VS-02)	2,04,000.00	84198990	18%
A	CI-12 Plus LCD	Capacity 370 liters, Temperature range 5°C to 60°C with LCD Display (Recommended Voltage Stabilizer VS-03)	2,12,000.00	84198990	18%
A	CI-16 Plus LCD	Capacity 450 liters, Temperature range 5°C to 60°C with LCD Display (Recommended Voltage Stabilizer VS-03)	2,36,000.00	84198990	18%
A	CI-19 Plus LCD	Capacity 540 liters, Temperature range 5°C to 60°C with LCD Display (Recommended Voltage Stabilizer VS-03)	2,48,000.00	84198990	18%
A	CI-28 Plus LCD	Capacity 800 liters, Temperature range 5°C to 60°C with LCD Display (Recommended Voltage Stabilizer VS-06)	3,74,000.00	84198990	18%
A	CI-35 Plus LCD	Capacity 1000 liters, Temperature range 5°C to 60°C with LCD Display (Recommended Voltage Stabilizer VS-06)	4,15,000.00	84198990	18%

CODE	CAT. NO	DESCRIPTION	Price	HSN CODE	GST%
A	CI-6 Plus TFT	Capacity 200 liters, Temperature range 5°C to 60°C with Touch screen Display(Recommended Voltage Stabilizer VS-02)	2,30,000.00	84198990	18%
A	CI-10 Plus TFT	Capacity 280 liters, Temperature range 5°C to 60°C with Touch screen Display (Recommended Voltage Stabilizer VS-02)	2,37,000.00	84198990	18%
A	CI-12 Plus TFT	Capacity 370 liters, Temperature range 5°C to 60°C with Touch screen Display (Recommended Voltage Stabilizer VS-03)	2,46,000.00	84198990	18%
A	CI-16 Plus TFT	Capacity 450 liters, Temperature range 5°C to 60°C with Touch screen Display (Recommended Voltage Stabilizer VS-03)	2,70,000.00	84198990	18%
A	CI-19 Plus TFT	Capacity 540 liters, Temperature range 5°C to 60°C with Touch screen Display (Recommended Voltage Stabilizer VS-03)	2,83,000.00	84198990	18%
A	CI-28 Plus TFT	Capacity 800 liters, Temperature range 5°C to 60°C with Touch screen Display (Recommended Voltage Stabilizer VS-06)	4,08,000.00	84198990	18%
A	CI-35 Plus TFT	Capacity 1000 liters, Temperature range 5°C to 60°C with Touch screen Display (Recommended Voltage Stabilizer VS-06)	4,48,000.00	84198990	18%
		COOLING INCUBATORS			
A	CI-3S	3 Cubic Ft. Temp. 5°C to 60°C inner chamber of Stainless steel (Recommended Voltage Stabilizer VS-01)	1,10,000.00	84198990	18%
A	CI-6S	6 Cubic Ft. Temp. 5°C to 60°C inner chamber of Stainless steel (Recommended Voltage Stabilizer VS-02)	1,31,000.00	84198990	18%
A	CI-10S	10 Cubic Ft. Temp. 5°C to 60°C inner chamber of Stainless steel (Recommended Voltage Stabilizer VS-02)	1,50,000.00	84198990	18%
		COLD CABINETS			
A	CC-6 Plus LED	Capacity 200 liters, Temperature range 2°C to 12°C with LED Display (Recommended Voltage Stabilizer VS-02)	1,68,000.00	84184010	18%
A	CC-10 Plus LED	Capacity 280 liters, Temperature range 2°C to 12°C with LED Display (Recommended Voltage Stabilizer VS-02)	1,78,000.00	84184010	18%
A	CC-12 Plus LED	Capacity 370 liters, Temperature range 2°C to 12°C with LED Display (Recommended Voltage Stabilizer VS-02)	1,86,000.00	84184010	18%
A	CC-16 Plus LED	Capacity 450 liters, Temperature range 2°C to 12°C with LED Display (Recommended Voltage Stabilizer VS-03)	2,10,000.00	84184010	18%
A	CC-19 Plus LED	Capacity 540 liters, Temperature range 2°C to 12°C with LED Display (Recommended Voltage Stabilizer VS-03)	2,30,000.00	84184010	18%
A	CC-28 Plus LED	Capacity 800 liters, Temperature range 2°C to 12°C with LED Display (Recommended Voltage Stabilizer VS-06)	3,45,000.00	84184010	18%
A	CC-35 Plus LED	Capacity 1000 liters, Temperature range 2°C to 12°C with LED Display (Recommended Voltage Stabilizer VS-06)	3,80,000.00	84184010	18%
A	CC-6 Plus LCD	Capacity 200 liters, Temperature range 2°C to 12°C with LCD Display (Recommended Voltage Stabilizer VS-02)	1,92,000.00	84184010	18%
A	CC-10 Plus LCD	Capacity 280 liters, Temperature range 2°C to 12°C with LCD Display (Recommended Voltage Stabilizer VS-02)	2,00,000.00	84184010	18%
A	CC-12 Plus LCD	Capacity 370 liters, Temperature range 2°C to 12°C with LCD Display (Recommended Voltage Stabilizer VS-02)	2,10,000.00	84184010	18%
A	CC-16 Plus LCD	Capacity 450 liters, Temperature range 2°C to 12°C with LCD Display (Recommended Voltage Stabilizer VS-03)	2,35,000.00	84184010	18%
A	CC-19 Plus LCD	Capacity 540 liters, Temperature range 2°C to 12°C with LCD Display (Recommended Voltage Stabilizer VS-03)	2,55,000.00	84184010	18%
A	CC-28 Plus LCD	Capacity 800 liters, Temperature range 2°C to 12°C with LCD Display (Recommended Voltage Stabilizer VS-06)	3,70,000.00	84184010	18%
A	CC-35 Plus LCD	Capacity 1000 liters, Temperature range 2°C to 12°C with LCD Display (Recommended Voltage Stabilizer VS-06)	4,08,000.00	84184010	18%
A	CC-6 Plus TFT	Capacity 200 liters, Temperature range 2°C to 12°C with Touch screen Display (Recommended Voltage Stabilizer VS-02)	2,25,000.00	84184010	18%
A	CC-10 Plus TFT	Capacity 280 liters, Temperature range 2°C to 12°C with Touch screen Display (Recommended Voltage Stabilizer VS-02)	2,36,000.00	84184010	18%
A	CC-12 Plus TFT	Capacity 370 liters, Temperature range 2°C to 12°C with Touch screen Display (Recommended Voltage Stabilizer VS-02)	2,44,000.00	84184010	18%
A	CC-16 Plus TFT	Capacity 450 liters, Temperature range 2°C to 12°C with Touch screen Display (Recommended Voltage Stabilizer VS-03)	2,69,000.00	84184010	18%
A	CC-19 Plus TFT	Capacity 540 liters, Temperature range 2°C to 12°C with Touch screen Display (Recommended Voltage Stabilizer VS-03)	2,90,000.00	84184010	18%
A	CC-28 Plus TFT	Capacity 800 liters, Temperature range 2°C to 12°C with Touch screen Display (Recommended Voltage Stabilizer VS-06)	4,02,000.00	84184010	18%
A	CC-35 Plus TFT	Capacity 1000 liters, Temperature range 2°C to 12°C with Touch screen Display (Recommended Voltage Stabilizer VS-06)	4,43,000.00	84184010	18%
		LABORATORY REFRIGERATORS			
A	RLR-200	200 Liters capacity, Plastic inner chamber & outer body of G.I, temperature range 1°C to 10°C	60,000.00	84184010	18%
A	RLR-300	300 Liters capacity, Plastic inner chamber & outer body of G.I, temperature range 1°C to 10°C	73,000.00	84184010	18%
A	RLR-400	400 Liters capacity, Plastic inner chamber & outer body of G.I, temperature range 1°C to 10°C	86,000.00	84184010	18%
		STABILITY CHAMBERS			
A	SC-6 Plus LCD	Capacity 200 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 316, Outer Body of SS 304 with LCD Display (Recommended Voltage Stabilizer VS-04)	3,00,000.00	84198990	18%
A	SC-10 Plus LCD	Capacity 280 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 316, Outer Body of SS 304 with LCD Display (Recommended Voltage Stabilizer VS-04)	3,20,000.00	84198990	18%
A	SC-12 Plus LCD	Capacity 370 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 316, Outer Body of SS 304 with LCD Display (Recommended Voltage Stabilizer VS-04)	3,34,000.00	84198990	18%
A	SC-16 Plus LCD	Capacity 450 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 316, Outer Body of SS 304 with LCD Display (Recommended Voltage Stabilizer VS-04)	3,77,000.00	84198990	18%
A	SC-19 Plus LCD	Capacity 540 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 316, Outer Body of SS 304 with LCD Display (Recommended Voltage Stabilizer VS-04)	3,80,000.00	84198990	18%
A	SC-28 Plus LCD	Capacity 800 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 316, Outer Body of SS 304 with LCD Display (Recommended Voltage Stabilizer VS-07)	5,35,000.00	84198990	18%
A	SC-35 Plus LCD	Capacity 1000 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 316, Outer Body of SS 304 with LCD Display (Recommended Voltage Stabilizer VS-07)	5,64,000.00	84198990	18%
A	SC-6 Plus TFT	Capacity 200 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 316, Outer Body of SS 304 with Touch screen Display (Recommended Voltage Stabilizer VS-04)	3,34,000.00	84198990	18%
A	SC-10 Plus TFT	Capacity 280 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 316, Outer Body of SS 304 with Touch screen Display (Recommended Voltage Stabilizer VS-04)	3,50,000.00	84198990	18%
A	SC-12 Plus TFT	Capacity 370 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 316, Outer Body of SS 304 with Touch screen Display (Recommended Voltage Stabilizer VS-04)	3,66,000.00	84198990	18%
A	SC-16 Plus TFT	Capacity 450 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 316, Outer Body of SS 304 with Touch screen Display (Recommended Voltage Stabilizer VS-04)	4,10,000.00	84198990	18%
A	SC-19 Plus TFT	Capacity 540 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 316, Outer Body of SS 304 with Touch screen Display (Recommended Voltage Stabilizer VS-04)	4,16,000.00	84198990	18%
A	SC-28 Plus TFT	Capacity 800 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 316, Outer Body of SS 304 with Touch screen Display (Recommended Voltage Stabilizer VS-07)	5,70,000.00	84198990	18%
A	SC-35 Plus TFT	Capacity 1000 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 316, Outer Body of SS 304 with Touch screen Display (Recommended Voltage Stabilizer VS-07)	6,00,000.00	84198990	18%
		HUMIDITY CHAMBERS			
A	CHM-6 Plus LCD	Capacity 200 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 304, Outer Body of CRCA Powder Coated with LCD Display (Recommended Voltage Stabilizer VS-04)	2,40,000.00	84198990	18%
A	CHM-10 Plus LCD	Capacity 280 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 304, Outer Body of CRCA Powder Coated with LCD Display (Recommended Voltage Stabilizer VS-04)	2,48,000.00	84198990	18%
A	CHM-12 Plus LCD	Capacity 370 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 304, Outer Body of CRCA Powder Coated with LCD Display (Recommended Voltage Stabilizer VS-04)	2,58,000.00	84198990	18%
A	CHM-16 Plus LCD	Capacity 450 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 304, Outer Body of CRCA Powder Coated with LCD Display (Recommended Voltage Stabilizer VS-04)	2,88,000.00	84198990	18%
A	CHM-19 Plus LCD	Capacity 540 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 304, Outer Body of CRCA Powder Coated with LCD Display (Recommended Voltage Stabilizer VS-04)	3,00,000.00	84198990	18%
A	CHM-28 Plus LCD	Capacity 800 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 304, Outer Body of CRCA Powder Coated with LCD Display (Recommended Voltage Stabilizer VS-07)	4,14,000.00	84198990	18%
A	CHM-35 Plus LCD	Capacity 1000 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 304, Outer Body of CRCA Powder Coated with LCD Display (Recommended Voltage Stabilizer VS-07)	4,48,000.00	84198990	18%
A	CHM-6 Plus TFT	Capacity 200 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 304, Outer Body of CRCA Powder Coated with Touch screen Display (Recommended Voltage Stabilizer VS-04)	2,76,000.00	84198990	18%
A	CHM-10 Plus TFT	Capacity 280 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 304, Outer Body of CRCA Powder Coated with Touch screen Display (Recommended Voltage Stabilizer VS-04)	2,85,000.00	84198990	18%
A	CHM-12 Plus TFT	Capacity 370 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 304, Outer Body of CRCA Powder Coated with Touch screen Display (Recommended Voltage Stabilizer VS-04)	2,94,000.00	84198990	18%
A	CHM-16 Plus TFT	Capacity 450 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 304, Outer Body of CRCA Powder Coated with Touch screen Display (Recommended Voltage Stabilizer VS-04)	3,22,000.00	84198990	18%
A	CHM-19 Plus TFT	Capacity 540 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 304, Outer Body of CRCA Powder Coated with Touch screen Display (Recommended Voltage Stabilizer VS-04)	3,33,000.00	84198990	18%
A	CHM-28 Plus TFT	Capacity 800 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 304, Outer Body of CRCA Powder Coated with Touch screen Display (Recommended Voltage Stabilizer VS-07)	4,48,000.00	84198990	18%
A	CHM-35 Plus TFT	Capacity 1000 liters, Temp. 10°C to 60°C, Humidity 40% to 95% RH, Inner Chamber of SS 304, Outer Body of CRCA Powder Coated with Touch screen Display (Recommended Voltage Stabilizer VS-07)	4,85,000.00	84198990	18%

CODE	CAT. NO	DESCRIPTION	Price	HSN CODE	GST%
DEEP FREEZERS					
A	RQV-200 Plus LED	Capacity 200 liters, Temperature up to -20°C with LED Display (Recommended Voltage Stabilizer VS-02)	1,66,000.00	84184010	18%
A	RQV-300 Plus LED	Capacity 300 liters, Temperature up to -20°C with LED Display (Recommended Voltage Stabilizer VS-02)	1,90,000.00	84184010	18%
A	RQV-400 Plus LED	Capacity 400 liters, Temperature up to -20°C with LED Display (Recommended Voltage Stabilizer VS-03)	2,00,000.00	84184010	18%
A	RQV-500 Plus LED	Capacity 500 liters, Temperature up to -20°C with LED Display (Recommended Voltage Stabilizer VS-03)	2,28,000.00	84184010	18%
A	RQV-600 Plus LED	Capacity 600 liters, Temperature up to -20°C with LED Display (Recommended Voltage Stabilizer VS-03)	2,41,000.00	84184010	18%
A	RQVD-200 Plus LED	Capacity 200 liters, Temperature up to -40°C with LED Display (in AC room) (Recommended Voltage Stabilizer VS-02)	2,00,000.00	84184010	18%
A	RQVD-300 Plus LED	Capacity 300 liters, Temperature up to -40°C with LED Display (in AC room) (Recommended Voltage Stabilizer VS-03)	2,14,000.00	84184010	18%
A	RQVD-400 Plus LED	Capacity 400 liters, Temperature up to -40°C with LED Display (in AC room) (Recommended Voltage Stabilizer VS-03)	2,36,000.00	84184010	18%
A	RQV-200 Plus LCD	Capacity 200 liters, Temperature up to -20°C with LCD Display (Recommended Voltage Stabilizer VS-02)	1,90,000.00	84184010	18%
A	RQV-300 Plus LCD	Capacity 300 liters, Temperature up to -20°C with LCD Display (Recommended Voltage Stabilizer VS-02)	2,14,000.00	84184010	18%
A	RQV-400 Plus LCD	Capacity 400 liters, Temperature up to -20°C with LCD Display (Recommended Voltage Stabilizer VS-03)	2,25,000.00	84184010	18%
A	RQV-500 Plus LCD	Capacity 500 liters, Temperature up to -20°C with LCD Display (Recommended Voltage Stabilizer VS-03)	2,50,000.00	84184010	18%
A	RQV-600 Plus LCD	Capacity 600 liters, Temperature up to -20°C with LCD Display (Recommended Voltage Stabilizer VS-03)	2,62,000.00	84184010	18%
A	RQVD-200 Plus LCD	Capacity 200 liters, Temperature up to -40°C with LCD Display (in AC room) (Recommended Voltage Stabilizer VS-02)	2,25,000.00	84184010	18%
A	RQVD-300 Plus LCD	Capacity 300 liters, Temperature up to -40°C with LCD Display (in AC room) (Recommended Voltage Stabilizer VS-03)	2,40,000.00	84184010	18%
A	RQVD-400 Plus LCD	Capacity 400 liters, Temperature up to -40°C with LCD Display (in AC room) (Recommended Voltage Stabilizer VS-03)	2,58,000.00	84184010	18%
A	RQV-200 Plus TFT	Capacity 200 liters, Temperature up to -20°C with Touch screen Display (Recommended Voltage Stabilizer VS-02)	2,23,000.00	84184010	18%
A	RQV-300 Plus TFT	Capacity 300 liters, Temperature up to -20°C with Touch screen Display (Recommended Voltage Stabilizer VS-02)	2,46,000.00	84184010	18%
A	RQV-400 Plus TFT	Capacity 400 liters, Temperature up to -20°C with Touch screen Display (Recommended Voltage Stabilizer VS-03)	2,58,000.00	84184010	18%
A	RQV-500 Plus TFT	Capacity 500 liters, Temperature up to -20°C with Touch screen Display (Recommended Voltage Stabilizer VS-03)	2,85,000.00	84184010	18%
A	RQV-600 Plus TFT	Capacity 600 liters, Temperature up to -20°C with Touch screen Display (Recommended Voltage Stabilizer VS-03)	3,00,000.00	84184010	18%
A	RQVD-200 Plus TFT	Capacity 200 liters, Temperature up to -40°C with Touch screen Display (in AC room) (Recommended Voltage Stabilizer VS-02)	2,58,000.00	84184010	18%
A	RQVD-300 Plus TFT	Capacity 300 liters, Temperature up to -40°C with Touch screen Display (in AC room) (Recommended Voltage Stabilizer VS-03)	2,74,000.00	84184010	18%
A	RQVD-400 Plus TFT	Capacity 400 liters, Temperature up to -40°C with Touch screen Display (in AC room) (Recommended Voltage Stabilizer VS-03)	2,93,000.00	84184010	18%
VERTICAL MODELS (TEMPERATURE UPTO - 20°C)					
A	RQFV-170	170 Lit. capacity inner chamber of stainless steel with built-in Digital temp. indicator cum controller having audio-visual alarm. (Recommended Voltage Stabilizer VS-02)	1,00,000.00	84184010	18%
A	RQFV-265	265 Lit. capacity inner chamber of stainless steel with built-in Digital temp. indicator cum controller having audio-visual alarm. (Recommended Voltage Stabilizer VS-02)	1,36,000.00	84184010	18%
A	RFV 245	245 Liters capacity, Plastic inner chamber & outer body of G.I, temperature range -16°C to -24°C	80,000.00	84184010	18%
A	RFV 340	340 Liters capacity, Plastic inner chamber & outer body of G.I, temperature range -16°C to -24°C	1,28,000.00	84184010	18%
VERTICAL MODELS (LOW TEMPERATURE UPTO -86°C) - (In AC Room)					
A	ULT 90 LCD	90 Lit capacity inner chamber of stainless steel, temperature upto -86°C with built-in Digital temp. indicator cum controller having audio-visual alarm. (Recommended Voltage Stabilizer VS-05)	4,14,000.00	84184010	18%
A	ULT 90 TFT	90 Lit capacity inner chamber of stainless steel, temperature upto -86°C touch screen Display having audio-visual alarm. (Recommended Voltage Stabilizer VS-05)	4,42,000.00	84184010	18%
A	ULT 185 LCD	185 Lit capacity inner chamber of stainless steel, temperature upto -86°C with built-in Digital temp. indicator cum controller having audio-visual alarm. (Recommended Voltage Stabilizer VS-06)	4,77,000.00	84184010	18%
A	ULT 185 TFT	185 Lit capacity inner chamber of stainless steel, temperature upto -86°C touch screen Display having audio-visual alarm. (Recommended Voltage Stabilizer VS-06)	5,04,000.00	84184010	18%
A	ULT 360 LCD	360 Lit capacity inner chamber of stainless steel, temperature upto -86°C with built-in Digital temp. indicator cum controller having audio-visual alarm. (Recommended Voltage Stabilizer VS-07)	5,64,000.00	84184010	18%
A	ULT 360 TFT	360 Lit capacity inner chamber of stainless steel, temperature upto -86°C touch screen Display having audio-visual alarm. (Recommended Voltage Stabilizer VS-07)	5,98,000.00	84184010	18%
A	ULT 390 TFT	390 Lit capacity inner chamber of stainless steel, temperature upto -86°C with touch screen Display having audio-visual alarm. (Recommended Voltage Stabilizer VS-07)	5,98,000.00	84184010	18%
A	ULT 490 TFT	490 Lit capacity inner chamber of stainless steel, temperature upto -86°C with touch screen Display having audio-visual alarm. (Recommended Voltage Stabilizer VS-07)	6,32,000.00	84184010	18%
A	ULT 650 TFT	650 Lit capacity inner chamber of stainless steel, temperature upto -86°C with touch screen Display having audio-visual alarm. (Recommended Voltage Stabilizer VS-07)	7,25,000.00	84184010	18%
REFRIGERATOR CUM FREEZER					
A	RRF-250	Refrigerator cum Freezer, Temp. 2°C to 12°C (Refrigerator-250 litres), up to -20°C (Freezer-265 litres), Recommended Voltage Stabilizer VS-04)	2,40,000.00	84184010	18%
A	RRFD-250	Refrigerator cum Freezer, Temp. 2°C to 12°C (Refrigerator-250 litres), up to -40°C (Freezer-265 litres), Recommended Voltage Stabilizer VS-04)	2,60,000.00	84184010	18%
ORBITAL SHAKING INCUBATORS					
A	RIS-24 Plus LCD	Shaking Capacity up to 18 Liters, Temp. range 5°C above ambient to 60°C (Without flask holding clamps)	2,08,000.00	85143090	18%
A	RIS-24 Plus TFT	Shaking Capacity up to 18 Liters, Temp. range 5°C above ambient to 60°C (Without flask holding clamps)	2,41,000.00	85143090	18%
A	CIS-24 Plus LCD	Shaking Capacity up to 18 Liters, Temp. range 5°C to 60°C (Without flask holding clamps) (Recommended Voltage Stabilizer VS-02)	2,76,000.00	84198990	18%
A	CIS-24 Plus TFT	Shaking Capacity up to 18 Liters, Temp. range 5°C to 60°C (Without flask holding clamps) (Recommended Voltage Stabilizer VS-02)	3,00,000.00	84198990	18%
		Clamps 2000ml	700.00	84798200	18%
		Clamps 1000ml / 500 ml	700.00	84798200	18%
		Clamps 250ml / 150 ml	500.00	84798200	18%
		Clamps 100ml / 50 ml	400.00	84798200	18%
A	CIS-18 Plus	Bench Top Orbital Shaking Incubator, microprocessor controlled with LCD display, temp. range 4°C to 50°C, universal platform of 18" x 18", 20 to 300 rpm, transparent plastic door (Recommended Voltage Stabilizer VS-02)	2,53,000.00	84198990	18%
WALKIN STABILITY CHAMBER					
A	WSC-50	Capacity 5000 Liters, Temperature range 20°C to 60°C, Humidity range 40% to 95% RH to undertake the Medium, Long term & Accelerated Stability Studies.	7,60,000.00	84198990	18%
A	WSC-80	Capacity 8000 Liters, Temperature range 20°C to 60°C, Humidity range 40% to 95% RH to undertake the Medium, Long term & Accelerated Stability Studies.	9,08,000.00	84198990	18%
A	WSC-100	Capacity 10000 Liters, Temperature range 20°C to 60°C, Humidity range 40% to 95% RH to undertake the Medium, Long term & Accelerated Stability Studies.	10,46,000.00	84198990	18%
A	WSC-120	Capacity 12000 Liters, Temperature range 20°C to 60°C, Humidity range 40% to 95% RH to undertake the Medium, Long term & Accelerated Stability Studies.	12,00,000.00	84198990	18%
A	WSC-150	Capacity 15000 Liters, Temperature range 20°C to 60°C, Humidity range 40% to 95% RH to undertake the Medium, Long term & Accelerated Stability Studies.	13,35,000.00	84198990	18%
WALKIN COLD ROOM					
A	WCR-50	Capacity 5000 Liters, Temp. range 2°C to 8°C, designed for storage of Temp. Sensitive materials & Bio-samples.	5,86,000.00	84198990	18%
A	WCR-80	Capacity 8000 Liters, Temp. range 2°C to 8°C, designed for storage of Temp. Sensitive materials & Bio-samples.	7,30,000.00	84198990	18%
A	WCR-100	Capacity 10000 Liters, Temp. range 2°C to 8°C, designed for storage of Temp. Sensitive materials & Bio-samples.	8,05,000.00	84198990	18%
A	WCR-120	Capacity 12000 Liters, Temp. range 2°C to 8°C, designed for storage of Temp. Sensitive materials & Bio-samples.	9,66,000.00	84198990	18%
A	WCR-150	Capacity 15000 Liters, Temp. range 2°C to 8°C, designed for storage of Temp. Sensitive materials & Bio-samples.	11,25,000.00	84198990	18%

CODE	CAT. NO	DESCRIPTION	Price	HSN CODE	GST%
		VOLTAGE STABILIZERS			
	VS-01	Servo controlled Voltage Stabilizer	11,500.00	85044040	18%
	VS-02	Servo controlled Voltage Stabilizer	13,000.00	85044040	18%
	VS-03	Servo controlled Voltage Stabilizer	15,000.00	85044040	18%
	VS-04	Servo controlled Voltage Stabilizer	21,000.00	85044040	18%
	VS-05	Servo controlled Voltage Stabilizer	37,000.00	85044040	18%
	VS-06	Servo controlled Voltage Stabilizer	56,000.00	85044040	18%
	VS-07	Servo controlled Voltage Stabilizer	65,000.00	85044040	18%
		OPTIONAL ACCESSORIES FOR ALL TYPES OF CABINETS & WALK IN CHAMBERS			
		1. Chamber illumination with the help of 2 Nos. fluorescent tubes.	2,500.00	84799090	18%
		2. Chamber illumination with 2 Nos. ultra violet lights.	10,000.00	84799090	18%
		3. 0-24 hours Cyclic Timer for regulating illumination conditions.	7,000.00	91070000	18%
		4. Data Logger (Temperature), 8 channels, supplied complete with 8 sensors	64,000.00	90258090	18%
		5. Data Logger (Temp. / Humidity), 8 channels(4 temp. + 4 humidity), supplied complete with sensors	1,24,000.00	90258090	18%
		6. Data Logger (Temp. / Humidity), 16 channels(8 temp. + 8 humidity), supplied complete with sensors	1,96,000.00	90258090	18%
		7. RB-07: Seven Days Circular Chart Recorder (Single Channel)	24,000.00	90258090	18%
		8. PC Software, "Remi Datasoft" as per 21 CFR Part 11 requirements (For Plus Models & Walk-in-Chambers)	34,000.00	85238020	18%
		9. GSM Mobile Alert (Works with "Remi Datasoft" Software).	25,000.00	84198990	18%
		10. PLC based control system with multi colour HMI Touch Screen.	94,000.00	90321090	18%
		11. Magnetic Door Access Security System (For Walkin Chambers Only).	33,000.00	85437099	18%
		12. Validation (Mapping) consist of one cycle for Temperature and Humidity at any one set point for 24 hours on empty & loaded condition of Cabinet / Walk-in-Chambers.	32,000.00	84198990	18%
		13. Standby Refrigeration For Cabinets (800 / 1000 Liters Chambers).	50,000.00	84198990	18%
		14. Standby Refrigeration For Walkin Stability Chambers / Cold Room..	84,000.00	84198990	18%
		15. Standby Humidity For Cabinets (800 / 1000 Liters Chambers).	13,000.00	84198990	18%
		16. Standby Humidity For Walkin Stability Chambers.	20,000.00	84198990	18%